# **Safety Data Sheet**

According to OSHA HCS 2012 (29 CFR 1910.1200), Health Canada HPR (SOR/2015-17), and Mexico NOM-018-STPS-2015



# **SECTION 1: Identification**

Product Identifier: Red Line® WaterWetter® Super Coolant

Code: 828841
Issue date: 15-Nov-2022
Relevant identified uses: Antifreeze
Uses advised against: All others

24 Hour Emergency Phone Number: CHEMTREC Global +1 703 527 3887

CHEMTREC United States 1-800-424-9300 CHEMTREC Mexico 01-800-681-9531

Manufacturer/Supplier: RED LINE SYNTHETIC OIL

6100 Egret Court Benicia, CA 94510

SDS Information: URL: www.phillips66.com/SDS

Phone: 800-762-0942 Email: SDS@P66.com

**Technical Information:** 1-707-745-6100

# **SECTION 2: Hazard identification**

Classified Hazards Hazards Not Otherwise Classified (HNOC)

H315 -- Skin corrosion/irritation -- Category 2 H319 -- Eye damage/irritation -- Category 2 H361d -- Reproductive toxicity -- Category 2 ....

HHNOC: None known

PHNOC: None known

### Label elements



### WARNING

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H361d - Suspected of damaging the unborn child



P201 - Obtain special instructions before use; P202 - Do not handle until all safety precautions have been read and understood; P263 - Avoid contact during pregnancy/while nursing; P264 - Wash skin thoroughly after handling; P280 - Wear protective gloves/protective clothing and eye/face protection; P281 - Use personal protective equipment as required; P302 + P352 - IF ON SKIN: Wash with plenty of soap and water; P332 + P313 - If skin irritation occurs: Get medical advice/attention; P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing; P337 + P313 - If eye irritation persists: Get medical advice/attention; P308 + P313 - IF exposed or concerned: Get medical advice/attention; P362 - Take off contaminated clothing and wash before reuse; P405 - Store locked up; P501 - Dispose of contents/ container to an approved waste disposal plant

200044 Dad Line Wester Wester Contact

828841 - Red Line® WaterWetter® Super Coolant Issue date: 15-Nov-2022

Page 1/7
Status: FINAL

Issue date: 15-Nov-2022 Status: FINAL

# SECTION 3: Composition/information on ingredients

Substance	CASRN	Concentration <sup>1</sup>
Triethanolamine	102-71-6	<7.49
Potassium hydroxide	1310-58-3	<4.99
Nonanoic acid	112-05-0	<4.99
Disodium Molybdate	7631-95-0	<4.99
Adipic acid	124-04-9	<2.49
Boric Acid	10043-35-3	<2.49
Tolyltriazole sodium salt	64665-57-2	<2.49

<sup>&</sup>lt;sup>1</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# **SECTION 4: First aid measures**

**Eye Contact:** For direct contact, remove contact lenses if present and easy to do. Immediately hold eyelids apart and flush the affected eye(s) with clean water for at least 20 minutes. Seek immediate medical attention.

**Skin Contact:** Remove contaminated shoes and clothing, and flush affected area(s) with large amounts of water. If skin surface is damaged, apply a clean dressing and seek medical attention. If skin surface is not damaged, cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops, seek medical attention. Wash contaminated clothing before reuse.

**Inhalation:** First aid is not normally required. If breathing difficulties develop, move victim away from source of exposure and into fresh air in a position comfortable for breathing. Seek immediate medical attention.

Ingestion: First aid is not normally required; however, if swallowed and symptoms develop, seek medical attention.

**Most important symptoms and effects, both acute and delayed:** Effects of overexposure may include severe irritation of the mouth, nose, throat, respiratory, and digestive tract.

# **SECTION 5: Firefighting measures**

NFPA 704: National Fire Protection Association

Health: 2 Flammability: 0 Instability: 0



0 = minimal hazard

1 = slight hazard

Page 2/7

2 = moderate hazard

3 = severe hazard

4 = extreme hazard

Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire

Specific hazards arising from the chemical

**Unusual Fire & Explosion Hazards:** No unusual fire or explosion hazards are expected. If container is not properly cooled, it can rupture in the heat of a fire.

Hazardous Combustion Products: None anticipated.

**Special protective actions for fire-fighters:** For fires beyond the initial stage, emergency responders in the immediate hazard area should wear protective clothing. When the potential chemical hazard is unknown, in enclosed or confined spaces, a self contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Stop spill/release if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Cool equipment exposed to fire with water, if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely.

828841 - Red Line® WaterWetter® Super Coolant Page 2/7

Issue date: 15-Nov-2022

**Page 3/7** Issue date: 15-Nov-2022 Status: FINAL

#### See Section 9 for Flammable Properties including Flash Point and Flammable (Explosive) Limits

### SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Stay upwind and away from spill/release. Avoid direct contact with material. For large spillages, notify persons down wind of the spill/release, isolate immediate hazard area and keep unauthorized personnel out. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Environmental Precautions: Stop and contain spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems, and natural waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements. If spill occurs on water notify appropriate authorities and advise shipping of any hazard.

Methods and material for containment and cleaning up: Notify relevant authorities in accordance with all applicable regulations. Immediate cleanup of any spill is recommended. Dike far ahead of spill for later recovery or disposal. Absorb spill with inert material such as sand or vermiculite, and place in suitable container for disposal. If spilled on water remove with appropriate methods (e.g. skimming, booms or absorbents). In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

Recommended measures are based on the most likely spillage scenarios for this material; however local conditions and regulations may influence or limit the choice of appropriate actions to be taken. See Section 13 for information on appropriate disposal.

# SECTION 7: Handling and storage

Precautions for safe handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact during pregnancy and while nursing. Use personal protective equipment as required. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Use good personal hygiene practices and wear appropriate personal protective equipment (see section 8). Spills will produce very slippery surfaces. Do not wear contaminated clothing or shoes. Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29CFR 1910.146.

Conditions for safe storage: Keep container(s) tightly closed and properly labeled. Use and store this material in cool, dry, well-ventilated areas. Store only in approved containers. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Indoor storage should meet OSHA standards and appropriate fire codes.

# SECTION 8: Exposure controls/personal protection

### Occupational exposure limits

Substance	ACGIH	OSHA	Mexico	Phillips 66
Triethanolamine	TWA-8hr: 5 mg/m <sup>3</sup>		TWA-8hr: 5 mg/m <sup>3</sup>	
			(VLE-PPT)	
Potassium hydroxide	Ceiling: 2 mg/m <sup>3</sup>		Ceiling: 2 mg/m <sup>3</sup>	
Disodium Molybdate	TWA-8hr: 0.5 mg/m <sup>3</sup>	TWA-8hr: 5 mg/m <sup>3</sup>	TWA-8hr: 0.5 mg/m <sup>3</sup> Mo	
	respirable particulate		respirable fraction	
	matter		(VLE-PPT)	
Adipic acid	TWA-8hr: 5 mg/m <sup>3</sup>		TWA-8hr: 5 mg/m <sup>3</sup>	
	_		(VLE-PPT)	
Boric Acid	TWA-8hr: 2 mg/m <sup>3</sup>	Carcinogen	TWA-8hr: 2 mg/m <sup>3</sup>	
	inhalable particulate matter		inhalable fraction	
	Borate compounds,		(VLE-PPT)	
	inorganic		STEL: 6 mg/m³ inhalable	
	TWA-8hr: 2 mg/m <sup>3</sup>		fraction (PPT-CT)	
	inhalable particulate matter			
	STEL: 6 mg/m³ inhalable			
	particulate matter Borate			
	compounds, inorganic			

828841 - Red Line® WaterWetter® Super Coolant Issue date: 15-Nov-2022

Page 4/7 Status: FINAL Issue date: 15-Nov-2022

State, local or other agencies or advisory groups may have established more stringent limits. Consult an industrial hygienist or similar professional, or your local agencies, for further information. --- = None.

# Biological occupational exposure limits

None.

Engineering controls: If current ventilation practices are not adequate to maintain airborne concentrations below the established exposure limits, additional engineering controls may be required.

Eye/Face Protection: The use of eye protection (such as splash goggles) that meets or exceeds ANSI Z.87.1 is recommended when there is potential liquid contact to the eye. Depending on conditions of use, a face shield may be necessary.

Skin/Hand Protection: The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. Depending on exposure and use conditions, additional protection may be necessary to prevent skin contact including use of items such as chemical resistant boots, aprons, arm covers, hoods, coveralls, or encapsulated suits. Suggested protective materials: Nitrile rubber.

**Respiratory Protection:** Where there is potential for airborne exposure above the exposure limit a NIOSH certified air purifying respirator equipped with organic vapor cartridges/canisters with R or P95 filters may be used.

A respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed whenever workplace conditions warrant a respirator's use. Air purifying respirators provide limited protection and cannot be used in atmospheres that exceed the maximum use concentration (as directed by regulation or the manufacturer's instructions), in oxygen deficient (less than 19.5 percent oxygen) situations, or under conditions that are immediately dangerous to life and health (IDLH).

Other Protective Equipment: Eye wash and quick-drench shower facilities should be available in the work area. Thoroughly clean shoes and wash contaminated clothing before reuse.

Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals.

# **SECTION 9: Physical and chemical properties**

Data represent typical values and are not intended to be specifications. N/A = Not Applicable; N/D = Not Determined

pink, Clear and bright Color:

**Physical State:** Liquid Pungent Odor: **Odor threshold:** No data

pH:

32 °F / 0 °C Melting / freezing point: 212 °F / 100 °C Initial boiling point and boiling range:

Flash point: Not applicable Method: Not applicable No data Evaporation Rate (nBuAc=1):

Flammability (solid, gas): Not applicable **Upper Explosive Limits (vol % in air):** No data Lower Explosive Limits (vol % in air): No data Vapor pressure: No data Vapor density: >1 (air = 1) Relative density: No data

Solubility: Negligible Partition coefficient n-octanol /water (log Kow): No data No data Autoignition temperature: **Decomposition temperature:** No data

Viscosity: 4.31 cSt @ 100°C; 4.32 cSt @ 40°C

Molecular weight: No data

Other information

828841 - Red Line® WaterWetter® Super Coolant Page 4/7 Issue date: 15-Nov-2022 Status: FINAL

Page 5/7 Issue date: 15-Nov-2022 Status: FINAL

Particle characteristics No data Pour point: No data **Bulk density** 9.1 lbs/gal

# SECTION 10: Stability and reactivity

Reactivity: Not chemically reactive.

Chemical stability: Stable under normal ambient and anticipated conditions of use.

Possibility of Hazardous Reactions: Hazardous reactions not anticipated.

Conditions to Avoid: Stable under normal ambient and anticipated conditions of use.

Incompatible Materials: Avoid contact with strong oxidizing agents and strong reducing agents.

Hazardous Decomposition Products: Not anticipated under normal conditions of use.

# SECTION 11: Toxicological information

### Information on Toxicological Effects

#### Substance / Mixture

Acute	Hazard	Additional Information	LC50/LD50 Data
Toxicity			
Inhalation	Unlikely to be harmful		>5 mg/L (mist, estimated)
Dermal	Unlikely to be harmful		> 2 g/kg (estimated)
Oral	Unlikely to be harmful		> 5 g/kg (estimated)

Likely Routes of Exposure: Inhalation, eye contact, skin contact

Aspiration Hazard: Not expected to be an aspiration hazard.

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Skin Sensitization: No information available on the mixture, however none of the components have been classified for skin sensitization (or are below the concentration threshold for classification).

Respiratory Sensitization: No information available on the mixture, however none of the components have been classified for respiratory sensitization (or are below the concentration threshold for classification).

Specific target organ toxicity - Single exposure: No information available on the mixture, however none of the components have been classified for target organ toxicity (or are below the concentration threshold for classification).

Specific target organ toxicity - Repeated exposure: No information available on the mixture, however none of the components have been classified for target organ toxicity (or are below the concentration threshold for classification).

Carcinogenicity: No information available on the mixture, however none of the components have been classified for carcinogenicity (or are below the concentration threshold for classification).

Germ Cell Mutagenicity: No information available on the mixture, however none of the components have been classified for germ cell mutagenicity (or are below the concentration threshold for classification).

Reproductive Toxicity: Suspected of damaging the unborn child.

Information on Toxicological Effects of Components **Disodium Molybdate** 

828841 - Red Line® WaterWetter® Super Coolant Page 5/7 Issue date: 15-Nov-2022 Status: FINAL

**Page 6/7** Issue date: 15-Nov-2022 Status: FINAL

Additional Information (Carcinogenicity): The National Toxicology Program has characterized molybdenum trioxide as having some evidence of lung carcinogenicty in male and female mice, no evidence in female rats, and equivocal evidence in male rats. It is not listed as a carcinogen by IARC or OSHA.

Additional Information (STOT RE): Pneumoconiosis, due to deposition of particles in the lungs, has been reported among workers exposed to molybdenum-containing dusts.

# **SECTION 12: Ecological information**

### GHS Classification: No classified hazards

Toxicity: Not expected to be harmful to aquatic life

Persistence and Degradability: Not expected to persist in the environment if spilled or released.

Bioaccumulative Potential: Not expected to bioaccumulate.

Mobility in Soil: Substance is expected to possess low mobility in soil.

Other adverse effects: None anticipated.

# **SECTION 13: Disposal considerations**

The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations. This material, if discarded as produced, would not be a federally regulated RCRA "listed" hazardous waste and is not believed to exhibit characteristics of hazardous waste. See Sections 7 and 8 for information on handling, storage and personal protection and Section 9 for physical/chemical properties. It is possible that the material as produced contains constituents which are not required to be listed in the SDS but could affect the hazardous waste determination. Additionally, use which results in chemical or physical change of this material could subject it to regulation as a hazardous waste. Container contents should be completely used and containers should be emptied prior to discard.

### **SECTION 14: Transport information**

**UN Number:** Not regulated UN proper shipping name: None Transport hazard class(es): None

Packing Group: None

Environmental Hazard(s): This product does not meet the DOT/UN/IMDG/IMO criteria of a marine pollutant

Special precautions for user: None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

# **SECTION 15: Regulatory information**

### CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in pounds)

This material does not contain any chemicals subject to the reporting requirements of SARA 302 and 40 CFR 372.

### CERCLA/SARA - Section 311/312 (Title III Hazard Categories)

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

# CERCLA/SARA - Section 313 and 40 CFR 372

This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372.

### **EPA (CERCLA) Reportable Quantity (in pounds)**

This material does not contain any chemicals with CERCLA Reportable Quantities.

828841 - Red Line® WaterWetter® Super Coolant Issue date: 15-Nov-2022

Page 6/7 Status: FINAL

Page 7/7 Status: FINAL Issue date: 15-Nov-2022

### **California Proposition 65**

WARNING: This product can expose you to chemicals including Diethanolamine (CASRN 111-42-2) which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

TSCA (United States): All ingredients are on the inventory or exempt from listing. All components are either on the DSL, or are exempt from DSL listing requirements.

# **SECTION 16: Other information**

Issue date	Previous Issue Date:	SDS Number	Status:
15-Nov-2022	13-Mar-2018	828841	FINAL

### **Revised Sections or Basis for Revision:**

Periodic review and update; Format change; Intended Use (Section 1); Identified Hazards (Section 2); Precautionary Statement(s) (Section 2); Composition (Section 3); First Aid (Section 4); Fire Fighting information (Section 5); Accidental Release information (Section 6); Handling and Storage information (Section 7); Exposure limits (Section 8); Personal Protective Equipment (Section 8); Physical Properties (Section 9); Stability and Reactivity (Section 10); Toxicological (Section 11); Environmental hazards (Section 12); Disposal information (Section 13); Shipping information (Section 14); Regulatory information (Section 15)

#### Mexican NOM-018-STPS-2015:

The information within is considered correct but is not exhaustive and will be used for guidance only, which is based on the current knowledge of the substance or mixture and is applicable to the appropriate safety precautions for the product.

### **Precautionary Statements**

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P263 Avoid contact during pregnancy/while nursing
- P264 Wash skin thoroughly after handling
- P280 Wear protective gloves/protective clothing and eve/face protection
- P281 Use personal protective equipment as required
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 If eye irritation persists: Get medical advice/attention
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

### **Guide to Abbreviations:**

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling Limit (15 minutes): CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act: EPA = Environmental Protection Agency; GHS = Globally Harmonized System; HPR = Hazardous Products Regulations; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

### Disclaimer of Expressed and implied Warranties:

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.

828841 - Red Line® WaterWetter® Super Coolant Page 7/7 Issue date: 15-Nov-2022 Status: FINAL